

VÉHICLE MOBILITY MAT™



Mobi-Mat® VMM™, a patented portable roll-out polyester mat 3.06 or 4.2 meters wide, is designed for creating boat ramps, temporary access roads and working platforms and can accommodate light and medium vehicle traffic on supportive but unstable terrain like sand, grass and gravel.

Easy to install and dismantle

The Mobi-Mat® VMM™ can be installed easily on the surface of the ground with minimal preparation. It takes 2 people only 15 minutes to install a 15.20 m long roll. The Mobi-Mat® VMM™ attaches securely to the ground with stakes and/or staples inserted through eyelets, and allows the passage of ATVs, 4WDs, tractors and trucks. The Mobi-Mat® VMM™ comes in a kit with all the equipment and fittings required for installation and retrieval.

Very Durable

The Mobi-Mat® VMM™ provides great traction to wheeled vehicles and withstands regular vehicle traffic. It prevents lawns from being destroyed but will not entirely prevent ruts on extremely soft terrain.

Low Maintenance

Mobi-Mat® VMM™ requires little or no maintenance under normal conditions. The product can be washed with a high pressure washer. Patented Non-slip Corrugated Surface for Vehicles On slippery terrain such as wet grass, sandy soil, gravel or dirt, the patented puncture resistant corrugated surface of the Mobi-Mat® VMM™ provides great traction to wheeled vehicles,

Environmentally Friendly

Made of 100% polyester, the Mobi-Mat® VMM™ is supplied in rolls, is easily portable and prevents damage to the ground from recurring vehicle traffic, and helps channel traffic along designated paths to protect sensitive grassy areas.



VMM™ Light Grade AFX Brown Eagle





Mobi-Mat® Light Grade AFX Brown Eagle comes in 3,06 meters (120") width and is recommended for creating boat launches on beaches and lakes, for protecting grass and for supporting, light vehicle traffic on driveable but unstable flat ground.

The corrugated surface provides great traction to small wheeled vehicles. (Quad, 4WD, small tractors...).

Both ends of every mat are equipped with a specific fitting for easy and simple connection to another roll of Mobi-Mat®.

Accessories & Anchorage included in the kit:

- «X» connectors
- Staples



Product Trademark	Material	Grade	Color	Weight		Roll Dimensions*				Part Number
				lbs/sqft	kg/m ²	Width (ft)	Lenght (ft)	Width (m)	Lenght (m)	
Mobi-Mat®	100% Recycled Polyester	AFX	BROWN EAGLE	0,27	1,3	10	33	3,06	10	198 912/A
							50		15,2	198 913/A
							82		25	198 914/A

VMM™ Medium Grade A2X Brown Eagle





Mobi-Mat® Medium Grade A2X Brown Eagle, in 3,06 meters (120") width, is recommended for creating temporary access roads and working platforms accommodating light and medium vehicle traffic on driveable but unstable ground like sand, grass and gravel - even on a light gradient.

The Mobi-Mat® Medium Grade A2X Brown Eagle is securely attached to the ground with stakes and staples inserted through eyelets.

Both ends of every mat are equipped with a specific fitting for easy and simple connection to another roll of Mobi-Mat®.

Accessories & Anchorage included in the kit:

- «X» connexion 
- Staples 
- Sledgehammer (5 Kg) 
- Bichromated stakes (0.5m) 
- Handling hook 
- Bag (20 x 120 cm) 
- Pairs of gloves 



Product Trademark	Material	Grade	Color	Weight		Roll Dimensions*				Part Number
				lbs/sqft	kg/m²	Width (ft)	Lenght (ft)	Width (m)	Lenght (m)	
Mobi-Mat®	100% Recycled Polyester	A2X	BROWN EAGLE	0,36	1,65	10	33	3,06	10	191 818/A
							50		15,2	191 819/A
							82		25	191 820/A

VMM™ Medium Grade A2X White BB





Mobi-Mat® Medium Grade A2X, in 4,2 meters (165") width, is designed for creating expedient working platforms or temporary roadways on unstable but supporting sandy grounds even on slope.

Each white roll is designed with longitudinal Black Borders. Across its width, each roll is equipped with reinforced eyelets, allowing it to be securely attached to the ground with stakes and I-shaped connectors to link Mobi-Mat® together.

Accessories & Anchorage included in the kit:

- Sledgehammer (5 Kg)
- Bichromated stakes (0.5m)
- Handling hook
- Bag (20 x 120 cm)
- Pairs of gloves




Product Trademark	Material	Grade	Color	Weight		Roll Dimensions*				Part Number
				lbs/sqft	kg/m ²	Width (ft)	Lenght (ft)	Width (m)	Lenght (m)	
Mobi-Mat®	100% Recycled Polyester	A2X	WHITE BB	0,36	1,65	13,78	33	4,2	10	191 812
							50		15,2	191 813
							82		25	191 814

A yellow dump truck is shown driving on a muddy road, splashing mud. The truck is a heavy-duty model with a large dump body and multiple axles. It is moving from left to right, and the front wheel is kicking up a large amount of mud. The background shows a hilly, wooded area.



- Sledgehammer (5 Kg)
- Bichromated stakes (0.5m)
- Handling hook
- Bag (20 x 120 cm)
- Pairs of gloves

Mobi-Mat® provides traction to support vehicles under all environmental ground conditions . Even when submerged, the patented corrugated surfacing retains its high-traction capability.



Product Trademark	Material	Grade	Color	Weight		Roll Dimensions*				Part Number
				lbs/sqft	kg/m²	Width (ft)	Lenght (ft)	Width (m)	Lenght (m)	
Mobi-Mat®	100% Recycled Polyester	MM3 V25	GREY	1,64	8	3,45	16,5	1,05	5	191 756/1
							33		10	191 757
						6,9	16,5	2,1	5	191 758/1
							33		10	191 759
						13,8	41	4,2	12,5	191 755

	Grade	Color	Weight		Roll Dimensions*				Part Number
			lbs/sqft	kg/m ²	Width (ft)	Lenght (ft)	Width (m)	Lenght (m)	
	AFX	BROWN EAGLE	0,27	1,3	10	33	3,06	10	198 912/A
						50		15,2	198 913/A
						82		25	198 914/A
	A2X	BROWN EAGLE	0,36	1,65	10	33	3,06	10	191 818/A
						50		15,2	191 819/A
						82		25	191 820/A
	A2X	WHITE BB	0,36	1,65	13,78	33	4,2	10	191 812
						50		15,2	191 813
						82		25	191 814
	MM3 V25	GREY	1,64	8	3,45	16,5	1,05	5	191 756/1
						33		10	191 757
					6,9	16,5	2,1	5	191 758/1
						33		10	191 759
					13,8	41	4,2	12,5	191 755

Discover our complete range

mobi-mat-civil-access-deschamps.com

www.mobi-mat-defense-deschamps.com



RecPath™



Mobi-Ramp™



Helipad™



VMM™